THE FOLLOWING ARE THE ENGLISH TRANSLATION OF ANNEXES TO THE INTERNATIONAL PRELIMINARY EXAMINATION REPORT (ARTICLE 34):

Amended Sheets (Pages 11 and 12)

What is claimed is:

A continuous process for preparing a propargyl alcohol of the formula I

5

10

in which R^1 is a C_{1-30} -alkyl radical branched on the α -carbon atom, which comprises reacting a corresponding aldehyde of the formula R^1 -CHO with acetylene in the presence of ammonia and a catalytic amount of an alkali metal hydroxide, alkaline earth metal hydroxide or alkali metal alkoxide in the range from 0.6 to 10 mol% based on the aldehyde used.

2. The process according to claim 1, wherein the reaction is carried out at temperatures in the range from 0 to 50°C.

15

25

- 3. The process according to claim 1 or 2, wherein the reaction is carried out at absolute pressures in the range from 1 to 30 bar.
- The process according to any of the preceding claims, wherein the aldehyde and the acetylene are used in a molar ratio in the range of aldehyde:acetylene = from 1:1 to 1:10.
 - 5. The process according to any of the preceding claims, wherein the catalytic amount of alkali metal hydroxide, alkaline earth metal hydroxide or alkali metal alkoxide is in the range from 1 to 10 mol% based on the aldehyde used.
 - 6. The process according to any of the preceding claims, wherein R^1 is a C_{4-10} -alkyl radical branched on the α -carbon atom.
- 30 7. The process according to any of claims 1 to 5, wherein R¹ is 3-heptyl.
- 8. The process according to any of the preceding claims, wherein conversion to propargyl alcohol is effected by simultaneously metering a stream comprising acetylene and ammonia, a stream comprising the aldehyde and a stream comprising the alkali metal hydroxide, alkaline earth metal hydroxide or alkali metal alkoxide into a reactor.
 - 9. The process according to any of the preceding claims, wherein the alkoxide is a C_{1-4} -alkoxide.

- 10. The process according to any of the preceding claims, wherein the alkali metal is sodium or potassium.
- 11. The process according to any of the preceding claims, wherein the alkaline earthmetal is magnesium or calcium.
 - The process according to any of the preceding claims, wherein the alkali metal alkoxide or metal hydroxide is dissolved or suspended in an alcohol.
- 10 13. The process according to claim 12, wherein the alkali metal alkoxide is dissolved or suspended in the alcohol which corresponds to the alkoxide by protonation.